


Null weak values in quantum dots and beyond



OZ, Alessandro Romito, and Yuval Gefen
and

Experiment: **OZ**, Alessandro Romito, D. J. Starling, G. A. Howland, J. C. Howell , and Yuval Gefen

arXiv:1205:3877




מכון ויצמן למדע
WEIZMANN INSTITUTE OF SCIENCE

Oded Zilberberg - QD2012, Landau Institute, Chernogolovka, 9/13/2012

Outline




- (Null) Weak values

$$\frac{\langle \chi_f | \hat{A} | \chi_i \rangle}{\langle \chi_f | \chi_i \rangle}$$




- Realistic implementations

Amplified quantum state discrimination



- Optical analogue =>

Experimental manifestation



Motivation → Weak Values → why ?

- Elucidates fundamentals & paradoxes of quantum mechanics
- Non-destructive measurement of (classically forbidden) virtual states
- Hyper-precision measurements
- Amplified quantum state discrimination


$$|\psi_0\rangle = \alpha_0 |0\rangle + \beta_0 |1\rangle$$

$$|\psi_\delta\rangle = \alpha_\delta |0\rangle + \beta_\delta |1\rangle$$

Measuring a qubit system

$$|i\rangle = \alpha_0 |0\rangle + \beta_0 |1\rangle$$

- How to measure $|\beta_0|^2$?





Measuring a charge qubit (strongly)

Couple a quantum point contact to one of the quantum dots

$$Q = \int_0^{\Delta t} I dt \Rightarrow \hat{n}_1 = |1\rangle \langle 1|$$

$$\alpha_0 |0\rangle + \beta_0 |1\rangle$$





Measuring a charge qubit (weakly)

Couple a quantum point contact to one of the quantum dots

$$Q = \int_0^{\Delta t} I dt \Rightarrow \hat{n}_1 = |1\rangle \langle 1|$$

$$\alpha_0 |0\rangle + \beta_0 |1\rangle$$



Weak Value Protocol

- Preparation $|i\rangle$

- Weak measurement of $\hat{n}_1$



Keep

$$\alpha_0 |0\rangle + \beta_0 |1\rangle$$

- (later) Strong measurement of $\hat{B}$ on final state $|f\rangle$

Provided
 $\hat{B} = B_0$

Postselection



Weak value

$$\text{Re} \left\{ \frac{\langle f | \hat{n}_1 | i \rangle}{\langle f | i \rangle} \right\}$$

Null Weak Value Protocol


- Preparation $|i\rangle$

- ~~Weak measurement of $\hat{n}_1$~~
with small probability $p \ll 1$

- (later) Strong measurement of $\hat{B}$
on final state $|f\rangle$

Keep
Provided
 $\hat{B}$ = "no click"
Postselection

$$\alpha_0 |0\rangle + \beta_0 |1\rangle$$



Null Weak Value Protocol



- Preparation $|i\rangle$

- Strong measurement of $\hat{n}_1$ with small probability $p \ll 1$

- (later) Strong measurement of $\hat{B}$ on final state $|f\rangle$

Keep
 Provided $\hat{B}$ = "no click"
 Postselection

$$\alpha_0 |0\rangle + \beta_0 |1\rangle$$



Null Weak Value Protocol



- Preparation $|i\rangle$

- Strong measurement of $\hat{n}_1$ with small probability $p \ll 1$

- (later) Strong measurement of $\hat{B}$ on final state $|f\rangle$




Provided $\hat{B}$ = "no click"
Postselection

$$\alpha_0 |0\rangle + \beta_0 |1\rangle$$



$$|i_p\rangle = N [\alpha_0 |0\rangle + (1-p)^{1/2} \beta_0 |1\rangle]$$

Josephson phase qubit



What is it good for?

- Amplified quantum state discrimination

$$|\psi_0\rangle = \alpha_0 |0\rangle + \beta_0 |1\rangle \equiv \cos[\theta_0] |0\rangle + \sin[\theta_0] \exp[i\phi_0] |1\rangle$$

$$|\psi_\delta\rangle = \alpha_\delta |0\rangle + \beta_\delta |1\rangle \equiv \cos[\theta_0 + \delta_1] |0\rangle + \sin[\theta_0 + \delta_1] \exp[i(\phi_0 + \delta_2)] |1\rangle$$

Option 1

Measure $\hat{n}_1$ strongly

$$SNR_{std} = \frac{|\beta_\delta|^2 - |\beta_0|^2}{\sqrt{|\beta_\delta|^2 (1 - |\beta_\delta|^2)}} \sqrt{N} \quad <$$



Option 2

Compare Null Weak Values

$$SNR_{NWV} = \frac{P_\delta^{\text{cond}} - P_0^{\text{cond}}}{\sqrt{P_\delta^{\text{cond}} (1 - P_\delta^{\text{cond}})}} \sqrt{N}$$



What is it good for?

- Amplified quantum state discrimination



Optical experiment

- Amplified quantum state discrimination



$$|i_p\rangle = N [\alpha_0 |H\rangle + (1-p)^{1/2} \beta_0 |V\rangle]$$

$$\text{Null weak value} = \#_w / (\#_w + \#_p)$$

Partial Postselection

Standard collapse (crossed polarizers)

Summary

- Correlated measurements (and HOW you measure)
=> new observables
- Novel protocol: partial collapse + strong measurement
($\neq$ Weak value protocol)
- Amplified quantum state discrimination
(+ experiment)

Thank you!